

# Toothbrushing in Early Education and Childcare (EECC) Programs

## *Brush in a Box Toolkit*



Shutterstock



Shutterstock

*Toothbrushing should be a pleasurable experience for childcare providers, teachers, parents, and children. If a child is hesitant to brush their teeth, teachers or childcare providers will work with the family to assist the child in learning to participate in this activity.*



Shutterstock

---

## Table of Contents:

Introduction .....	5
Oral Health and Establishing a Dental Home.....	6
Steps LOHPs Can Take to Assist in the Implementation of EECC Toothbrushing.....	7
Reasons to Implement a Brushing Program .....	8
Toothbrushing Procedure for Children Ages Birth to One Year.....	9
Toothbrushing Procedure for Children Ages Birth to One Year (Spanish).....	10
Toothbrushing Procedure for Children Ages One to Three Years .....	11
Toothbrushing Procedure for Children Ages One to Three Years (Spanish).....	12
Toothbrushing Procedure for Children Ages Three to Five Years.....	13
Toothbrushing Procedure for Children Ages Three to Five Years (Spanish).....	15
Safety and Sanitation Guidelines .....	17
Safety and Sanitation Guidelines (Spanish) .....	18
<i>Brush in a Box</i> Program Agreement .....	19
<i>Brush in a Box</i> Program Agreement (Spanish) .....	20
<i>Brush in a Box</i> Checklist .....	21
<i>Brush in a Box</i> Checklist (Spanish) .....	22
<i>Brush in a Box</i> Survey and Supply Order .....	23
Supporting Families with Toothbrushing at Home.....	24
Supporting Oral Health Education in EECC Programs.....	25
LOHP <i>Brush in a Box</i> Participants Successes and Challenges .....	26
LOHP Highlight and Cost Analysis.....	27
References.....	28

---

## *From the Dental Director's Desk*



Shutterstock

Tooth decay is one of the most common childhood chronic diseases. Although preventable, disparities in the prevalence of tooth decay with respect to income, race and ethnicity, and parental education are profound. Daily toothbrushing with fluoridated toothpaste combined with a low-sugar diet will help reduce the risk of developing tooth decay.

Early education and childcare (EECC) programs are an important setting to implement a daily toothbrushing program for teaching children a lifelong healthy habit. Many professional and governmental organizations endorse supervised toothbrushing in early care programs. Promoting early professional care in primary care settings with the age-one dental visit should complement daily home care.

Through laws and regulations, Kansas, Massachusetts, and West Virginia support toothbrushing in EECC programs. The Office of Head Start has established a standard ensuring all children with teeth are assisted by appropriate staff or volunteers, if available, in brushing their teeth once daily with toothpaste containing fluoride. In addition, there are resources that include protocols, education materials, and staff training. Local oral health programs should consider this effective strategy to promote oral health.

Jayanth Kumar, DDS, MPH

State Dental Director

Office of Oral Health,

California Department of Public Health



California Department of Public Health  
**OFFICE OF ORAL HEALTH**

## INTRODUCTION

Encouraging toothbrushing in Early Education and Childcare (EECC) programs helps to promote oral health and teaches children a lifelong habit. Local Oral Health Programs (LOHPs) can use this toolkit as a resource to help fulfill Work Plan **Activity 2.1.b #6. Design of an early education and care prevention program (e.g., Toothbrushing Programs in Pre-K, Oral Health Education) and 2.1.b reporting measure E) Early Prevention Program**. LOHP staff can use this toolkit to train teachers and childcare providers how to implement a daily toothbrushing program and incorporate oral health education into their classrooms and/or childcare programs.

Toothbrushing at the table, or [Circle Brushing-IHS Head Start](#), provides children with a shared space to learn how to brush effectively. It also provides teachers and childcare providers with a more efficient and less messy approach to the daily routine. Sitting at tables or desks, children are given a toothbrush, a napkin, and a paper cup with a pea-sized dab of fluoride toothpaste. Using a no-water or dry-brushing method, the children brush their teeth. Toothbrushes are rinsed afterward to remove any residue and then stored upright to air dry. A detailed *Toothbrushing Procedure* for various age groups with *Safety and Sanitation Guidelines* can be found in this toolkit.

A brushing routine in a childcare home with children of varying ages may look different than those in the video examples. Help teachers and childcare providers to structure the brushing routine to work for their classroom or childcare program. The most important thing is that children are brushing every day and that their staff is following the safety and sanitation guidelines.

[Growing Healthy Smiles in Early Care and Education Programs | ECLKC \(hhs.gov\)](#)

[Snohomish County Teaching Toothbrushing in Child Care Video](#)

[No Water Toothbrushing | California Childcare Health Program \(ucsf.edu\)](#)



Shutterstock

## Oral Health

---

Oral health is an essential component of overall health.

Dental disease is the most common chronic childhood disease. Dental disease is completely preventable with daily oral hygiene, regular dental visits, and the use of preventive methods like fluoride applications and sealants, along with limiting sugary foods and beverages.

Health equity means that every person has the opportunity to attain his or her full health potential regardless of race, ethnicity, gender, income, and location. Classroom toothbrushing encourages all children to have healthy behaviors and offers a component of peer-to-peer modeling. Learning healthy behaviors ranks high for influences in one's quality of life and life span, making it important to learn healthy habits early on.



Getty Images

## Establishing a Dental Home

---

1. Every child should have a first dental visit by age one. This establishes a dental home at a dental clinic or office.
2. Parents can make their child's appointment at any time. It may take a few months to get an appointment, but clinics prioritize seeing children, especially if the child is in pain.
3. If a child does not have a dental home, the child's pediatrician, or the Local Oral Health Program (LOHP) may be able to assist the family in establishing a dental home.



Photo by Nadezhda Moryak

---

## Steps LOHPs Can Take to Assist in the Implementation of EECC Toothbrushing

- ❖ Meet with Center Directors, Lead Childcare Providers, or school Administrators to promote *Brush in a Box* and gain buy in
- ❖ Provide a presentation for teachers/childcare providers
- ❖ Have the teachers/childcare providers sign up using the **Program Agreement** provided in this toolkit
- ❖ Go over the **Safety and Sanitation Guidelines** and **Toothbrushing Procedure** provided in the toolkit
- ❖ Offer to model the process
- ❖ Give an oral health education lesson in the classroom or childcare home, or provide oral health curriculum
- ❖ Offer support with implementation
- ❖ Provide *Brush in a Box* supplies (if possible) or go over the **Cost Analysis** and help budget for materials
- ❖ Go over the **Checklist** provided in this toolkit to make sure the teachers/childcare providers have everything they need
- ❖ Observe and review the brushing routine to make sure **Safety and Sanitation Guidelines** are being followed and that everyone is having fun!
- ❖ Discuss successes and challenges and make improvements as needed
- ❖ Use the **Survey and Supply Order** provided in the toolkit
- ❖ Discuss the sustainability of the *Brush in a Box* Program



Shutterstock

---

## Reasons to Implement a Toothbrushing Program

By implementing a classroom or childcare toothbrushing routine, children learn the skills they need to take care of their own teeth and gums, and gain knowledge of why oral health is important.

### Dental issues can cause:

- ❖ An inability to learn/ concentrate
- ❖ Social-emotional delays
- ❖ Behavior issues and high emotion
- ❖ Infection/illness
- ❖ Poor nutrition
- ❖ Absences from childcare/school
- ❖ A lot of time and money spent addressing dental issues


### Children with severe oral health issues may be:

- ❖ Embarrassed to smile
- ❖ Afraid to speak because their speech is impaired or mouth hurts
- ❖ Unable to keep up with peers because of discomfort or increased absences

**Note:** Parents/guardians with oral health problems may have some of these same issues. They may also have trouble with employment or parenting due to discomfort/illness. It is important to remember that they may need oral health education and support too.



Photo by [CDC](#) on [Unsplash](#)



Shutterstock



Photo by [Jordan Whitt](#) on [Unsplash](#)

***By implementing a toothbrushing routine into a playgroup setting, parents acquire the oral health literacy and education to know how to take care of their children's teeth from the beginning.***



Shutterstock



Shutterstock



Shutterstock

## **Toothbrushing Procedure for Children Ages Birth to One Year**

- ❖ Make sure that each baby has their own infant-sized, soft-bristled toothbrush labeled with the baby's name. Use a finger brush, gauze, or clean cloth for babies without teeth
  - ❖ Wash hands with soap and water before and after brushing each baby's teeth
  - ❖ Caregiver should wear gloves and gloves should be replaced between each baby
  - ❖ Parents/Guardian or caregiver will hold the infant in their lap and wipe baby's gums and teeth with a clean cloth, gauze, or finger brush or brush baby's teeth
  - ❖ Brush babies' teeth with a small smear (rice-size amount) of fluoride toothpaste as soon as the first tooth comes into the mouth
  - ❖ Use new gauze/cloth each time to wipe baby's gums
  - ❖ Rinse and store toothbrushes according to the Safety and Sanitation Guidelines
-

***Al implementar una rutina de higiene bucal en un entorno de grupo de juego, los padres adquieren la alfabetización y la educación en salud bucal necesarias para saber cómo cuidar los dientes de sus hijos desde temprana edad.***



Shutterstock



Shutterstock



## **Modo de Cepillado de Dientes para Niños de 0 a 1 Año**

- ❖ Asegúrese de que cada bebé tenga su propio cepillo de dientes de tamaño infantil con cerdas suaves con su nombre. Use un cepillo de dedo, gasa o paño limpio para bebés que aún no tienen dientes.
  - ❖ Lávese las manos con agua y jabón antes y después de cepillar los dientes de cada bebé.
  - ❖ El proveedor de cuidado debe usar guantes y cambiarlos entre cada bebé.
  - ❖ Los padres/tutores o el proveedor de cuidado sostendrán al bebé en su regazo y limpiarán las encías con un paño limpio, gasa o cepillo de dedo, o le cepillarán los dientes.
  - ❖ Cepille los dientes de los bebés con una pequeña cantidad de pasta dental con flúor del tamaño de un grano de arroz tan pronto como le salga el primer diente.
  - ❖ Use una gasa/paño nuevo cada vez que limpie las encías del bebé.
  - ❖ Enjuague y almacene los cepillos de dientes de acuerdo con las Normas de Seguridad e Higiene.
-

## Toothbrushing Procedure for Children Ages One to Three Years

- ❖ Toothbrushing will be scheduled at least once daily after mealtime
- ❖ Make sure that each toddler has their own child-sized, soft-bristled toothbrush, labeled with their name
- ❖ Wash hands with soap and water before and after brushing each toddler's teeth. If the childcare provider directly assists with brushing, gloves should be replaced after each child
- ❖ When dispensing toothpaste from a tube, put the toothpaste for each toddler on the rim of a cup, and scoop the toothpaste from their cup onto the toddler's toothbrush
- ❖ Help toddlers brush their teeth with a small smear of fluoride toothpaste the size of a grain of rice.
- ❖ One way of brushing is by holding the child in your lap. Gently lay the child's head back, and place the toothbrush on the teeth with the bristles touching the edge of the gums, gently making
- ❖ circular motions with the toothbrush on the outside, inside and chewing surfaces of all teeth and tongue
- ❖ After brushing, have toddlers dribble the remaining toothpaste into a cup, but do not have them rinse. Then have toddlers wipe their mouth with a napkin and place the napkin inside the cup. The cups and napkins are thrown away
- ❖ Childcare provider or parent/guardian rinse each toothbrush and store the toothbrushes in a holder that allows them to air dry (no toothbrush covers) in an upright position without touching each other
- ❖ Disinfect the sink after all the toothbrushes are rinsed and put away



Shutterstock

## Modo de Cepillado de Dientes para Niños de 1 a 3 Años

- ❖ El cepillado de dientes se programará al menos una vez al día después de las comidas.
- ❖ Asegúrese de que cada niño pequeño tenga su propio cepillo de dientes de tamaño infantil con cerdas suaves, con su nombre.
- ❖ Lávese las manos con agua y jabón antes y después de cepillar los dientes de cada niño pequeño. Si el proveedor de cuidado infantil ayuda directamente con el cepillado, los guantes deben cambiarse después de cada niño.
- ❖ Cuando dispense la pasta dental de un tubo, colóquela en el borde de un vaso y póngala en el cepillo de dientes.
- ❖ Ayude a los niños pequeños a cepillarse los dientes con una pequeña cantidad de pasta dental con flúor del tamaño de un grano de arroz.
- ❖ Una forma de cepillar es sosteniendo al niño en su regazo. Incline suavemente la cabeza del niño hacia atrás y coloque el cepillo en los dientes con las cerdas tocando el borde de las encías, cepillando suavemente.
- ❖ Haga movimientos circulares con el cepillo de dientes en las superficies externas, internas y de masticación de todos los dientes y la lengua.
- ❖ Después de cepillarse, haga que los niños pequeños escupan el exceso de pasta dental en un vaso, pero no les haga enjuagar. Luego haga que los niños pequeños se limpien la boca con una servilleta y coloquen la servilleta dentro del vaso. Tire los vasos y las servilletas.
- ❖ El proveedor de cuidado infantil o el padre/tutor enjuagan cada cepillo de dientes y los almacenan en un portacepillos que permita que se sequen al aire (sin cubiertas para cepillos de dientes) en posición vertical sin tocarse entre sí.
- ❖ Desinfecte el lavabo después de que todos los cepillos de dientes hayan sido enjuagados y guardados.



Shutterstock

---

## Toothbrushing Procedure for Children Ages Three to Five Years



Getty Images

- ❖ Toothbrushing will be scheduled at least once daily after mealtime
- ❖ Make sure that each child has their own child-sized, soft-bristled toothbrush labeled with the child's name
- ❖ Teacher/childcare *provider* and child should wash their hands with soap and water before and after brushing. If soap and water are not available, hand sanitizer that contains at least 60% alcohol can be used
- ❖ Gloves should be worn if directly assisting a child with brushing and should be changed between each child
- ❖ Toothbrushing should occur at the classroom table or desks with children sitting as far apart as feasible with supervision
- ❖ When dispensing toothpaste from a tube, put a pea-sized amount of toothpaste for each child on the rim of a cup and have the children scoop the toothpaste from their cup onto their toothbrush. Note: It is helpful to have a tray of these materials prepped beforehand to save time
- ❖ Place a paper towel or napkin in front of each child. Provide each child with a disposable cup with a pea-sized amount of fluoride toothpaste on the rim. The child will scoop the toothpaste onto the brush
- ❖ While the children are brushing their teeth, the teacher/childcare provider will demonstrate on a tooth model or dental puppet, giving guidance on proper toothbrushing techniques. These demonstrations can occur at other times of the day as well, such as at circle time or small group

- 
- ❖ Angle the toothbrush toward the gum line, with the bristles touching the edge of the gums, and gently make little circles with the toothbrush on the outside, inside, and chewing surfaces of the teeth and the tongue
  - ❖ After brushing, have children dribble or spit the remaining toothpaste into a cup, but do not have them rinse. Then have children wipe their mouth with a napkin and place the napkin inside the cup and throw the cups and napkins away
  - ❖ The children or teacher/childcare provider will rinse each toothbrush, taking care to prevent them from touching one another, and store the toothbrushes in a holder that allows them to air dry (no toothbrush covers) in an upright position without touching each other
  - ❖ Disinfect the sink after all the toothbrushes are rinsed and put away
  - ❖ Longer duration of brushing leads to more plaque removal (2 minutes is ideal.) Timers may be used as a visual aide. Children are encouraged but never forced to brush until the timer is finished



*Photo by [Nathan Dumlao](#) on [Unsplash](#)*

---

## Modo de Cepillado de Dientes para Niños de 3 a 5 Años



Getty Images

- ❖ El cepillado de dientes se programará al menos una vez al día después de las comidas.
- ❖ Asegúrese de que cada niño tenga su propio cepillo de dientes de tamaño infantil con cerdas suaves, con su nombre
- ❖ El maestro/proveedor de cuidado infantil y el niño deben lavarse las manos con agua y jabón antes y después del cepillado. Si no hay agua y jabón disponibles, se puede usar desinfectante de manos que contenga al menos un 60% de alcohol.
- ❖ Los adultos deben usar guantes si ayudan directamente a un niño con el cepillado, y deben cambiar de guantes entre cada niño.
- ❖ El cepillado de dientes debe realizarse en la mesa o pupitres del aula, bajo supervisión, con los niños sentados lo más separados posible.
- ❖ Al dispensar la pasta dental desde un tubo, coloque una cantidad del tamaño de un guisante de pasta dental en el borde de un vaso y haga que los niños tomen la pasta y la apliquen en su cepillo de dientes. Nota: Puede ser útil tener una bandeja con estos materiales preparados de antemano para ahorrar tiempo.
- ❖ Coloque una toalla de papel o servilleta frente a cada niño. Proporcione a cada niño un vaso desechable con una cantidad del tamaño de un grano de arroz de pasta dental con flúor en el borde. El niño tomará la pasta dental y la aplicará en el cepillo.
- ❖ Mientras los niños se cepillan los dientes, el maestro/proveedor de cuidado infantil demostrará las técnicas adecuadas de cepillado usando un modelo de la boca o títere dental. Estas demostraciones se pueden llevar a cabo en grupos pequeños.

- ❖ Incline el cepillo de dientes hacia la línea de las encías, con las cerdas tocando el borde de las encías, y haga movimientos circulares con el cepillo en las superficies externas, internas y de masticación de los dientes y la lengua.
- ❖ Después de cepillarse, haga que los niños escupan el exceso de pasta dental en el vaso, pero no les haga enjuagar. Luego haga que los niños se limpien la boca con una servilleta y coloquen la servilleta dentro del vaso, y tire los vasos y servilletas.
- ❖ Los niños o el maestro/proveedor de cuidado infantil enjuagarán cada cepillo de dientes, teniendo cuidado de que no se toquen entre sí, y guardarán los cepillos de dientes en un portacepillos que permita que se sequen al aire (sin cubiertas para cepillos de dientes) en posición vertical sin tocarse entre sí.
- ❖ Desinfecte el lavabo después de que todos los cepillos de dientes hayan sido enjuagados y guardados.
- ❖ Una duración más larga del cepillado conduce a una mejor eliminación de la placa (2 minutos es lo ideal). Se pueden usar relojes como ayuda visual. Se alienta a los niños, pero nunca se les fuerza a cepillar hasta que se termine el tiempo.



Photo by [Nathan Dumlao](#) on [Unsplash](#)

---

## SAFETY AND SANITATION GUIDELINES

- ❖ Follow current COVID guidelines (CDC, CDPH, local Public Health)
- ❖ Children, parents/guardians, teacher, or childcare staff should wash their hands with soap and water for at least 20 seconds before and after toothbrushing. If soap and water are not available, hand sanitizer that contains at least 60% alcohol can be used
- ❖ If the teacher/provider directly assists with children's brushing, gloves should be worn and replaced after assisting each child
- ❖ Tables should be disinfected before and after toothbrushing
- ❖ Sinks should be disinfected after toothbrushes are rinsed
- ❖ Each child is provided with his or her own soft-bristled, child-sized toothbrush labeled by name so that toothbrushes are never shared
- ❖ To avoid cross contamination, toothpaste should never be applied directly from the tube to the toothbrush. When dispensing toothpaste from a tube, put toothpaste for each child on the rim of a disposable cup. If the child is able, they will scoop the toothpaste from the cup onto the toothbrush
- ❖ Toothbrushes are never disinfected with bleach or run through the dishwasher. If available, a [UV toothbrush sanitizer](#) may be used
- ❖ Toothbrushes are replaced when the bristles become bent or frayed, when there has been an illness going through the classroom, and at least every three months
- ❖ Contaminated toothbrushes are always discarded and replaced to control the spread of infection or illness
- ❖ Encourage children to avoid placing toothbrushes directly on the classroom table or other surfaces or from playing with the toothbrush.
- ❖ Toothbrushes are stored upright in toothbrush holders so that they stay clean and open to circulating air and so that bristles do not touch any surface, including another toothbrush
- ❖ Toothbrush holders are washed and disinfected by hand at the end of every week using bleach, HDQ Neutral, PURE disinfectants, etc.

---

## NORMAS DE SEGURIDAD E HIGIENE

- ❖ Siga las normas de COVID actuales (CDC, CDPH, Salud Pública local).
- ❖ Los niños, los padres/tutores, los maestros y/o el personal de cuidado infantil deben lavarse las manos con agua y jabón durante al menos 20 segundos antes y después de cepillarse los dientes. Si no hay agua y jabón disponibles, se puede usar desinfectante de manos que contenga al menos un 60% de alcohol.
- ❖ Si el maestro/proveedor ayuda directamente a los niños a cepillarse, debe usar guantes y cambiarlos después de ayudar a cada niño.
- ❖ Tienen que desinfectar las mesas antes y después de cepillarse los dientes.
- ❖ Tienen que desinfectar los lavabos después de enjuagar los cepillos de dientes.
- ❖ Cada niño recibe su propio cepillo de dientes de cerdas suaves, de tamaño infantil, con su nombre, para que nunca los compartan.
- ❖ Para evitar la contaminación cruzada, nunca se debe aplicar la pasta dental directamente del tubo al cepillo de dientes. Al dispensar la pasta dental de un tubo, coloque la pasta dental de cada niño en el borde de un vaso desechable. Si el niño es capaz, él o ella tomará la pasta dental del vaso y la pondrá en el cepillo de dientes.
- ❖ Los cepillos de dientes nunca se desinfectan con cloro ni se lavan en la lavaplatos. Si está disponible, se puede usar un desinfectante UV para cepillos de dientes.
- ❖ Los cepillos de dientes se reemplazan cuando las cerdas se doblan o deshilachan, cuando ha habido alguna enfermedad en el aula y al menos cada tres meses.
- ❖ Los cepillos de dientes contaminados siempre se desechan y se reemplazan para controlar la propagación de infecciones o enfermedades.
- ❖ Anime a los niños a evitar colocar los cepillos de dientes directamente en la mesa del aula u otras superficies o a jugar con el cepillo de dientes.
- ❖ Los cepillos de dientes se almacenan en posición vertical en portacepillos de dientes para que permanezcan limpios y expuestos al aire circulante, y para que las cerdas no toquen ninguna superficie, u otro cepillo de dientes.
- ❖ Los portacepillos de dientes se lavan y desinfectan a mano al final de cada semana utilizando cloro, HDQ Neutral, desinfectantes PURE, etc.



## ***Brush in a Box Program Agreement***

Today I am signing up for the *Brush in a Box* Program. I received or purchased \_\_\_\_\_ month(s) worth of toothbrushing supplies for my classroom or childcare home.

### **My *Brush in a Box* includes:**

- A toothbrush holder and toothbrush holder cover
- Child-sized Toothbrushes (if program includes children with special needs, provide different styles of toothbrushes as well, such as fat handled or triangle brushes)
- Toothpaste (If possible provide/purchase multiple flavors of toothpaste)
- Paper cups
- Napkins
- Disinfectant wipes
- Gloves
- A copy of the *Toothbrushing Procedure*, including *Safety and Sanitation Guidelines*
- A Classroom/Childcare *Brush in a Box Checklist* and *Program Agreement*
- An oral health-related book such as [Potter the Otter Visits the Dentist](#)
- A dental puppet with toothbrush or other educational materials if funding allows

I will follow the *Safety and Sanitation Guidelines* and use the *Toothbrushing Procedure* for the age group that I work with.

The Local Oral Health Program (LOHP) will check in after one month to see if I have implemented a toothbrushing routine into my classroom or childcare home. If I have not implemented a daily brushing routine, I may ask for additional support or training.

I will continue to receive (or purchase) brushing supplies throughout the school/program year. **Name of School or Childcare home:** \_\_\_\_\_

**Print name:** \_\_\_\_\_ **Sign:** \_\_\_\_\_ **Date:** \_\_\_\_\_

**Best Contact Phone or Email:** \_\_\_\_\_

**# Of students in my care** \_\_\_\_\_ **Grade/Ages of children** \_\_\_\_\_

**If I have any questions I can contact:** \_\_\_\_\_

\_\_\_\_\_



## Acuerdo del Programa Cepillo en una Caja

Hoy me estoy inscribiendo en el Programa Cepillo en una Caja. He recibido o comprado suministros para el cepillado de dientes para mi salón de clases o guardería, que durarán por \_\_\_\_ mes(es).

Mi Cepillo en una Caja incluye:

- Un portacepillos de dientes y su cubierta
- Cepillos de dientes de tamaño infantil (si el programa incluye niños con necesidades especiales, se proporcionarán diferentes estilos de cepillos de dientes, como cepillos con mangos anchos o triangulares)
- Pasta dental (múltiples sabores, si es posible)
- Vasos de papel
- Servilletas
- Toallitas desinfectantes
- Guantes
- Una copia del Procedimiento de Cepillado de Dientes, que incluye las Pautas de Seguridad e Higiene
- Una Lista de Verificación y Acuerdo del Programa de Cepillo en una Caja para el salón de clases o la guardería
- Un libro relacionado con la salud bucal, como "Potter the Otter Visita al Dentista"
- Un títere dental con cepillo de dientes u otros materiales educativos si el presupuesto lo permite

Seguiré las Pautas de Seguridad e Higiene y utilizaré el Procedimiento de Cepillado de Dientes correspondiente al grupo de edad con el que trabajo.

El Programa de Salud Bucal Local (LOHP) hará una visita de rutina para verificar si he implementado una rutina de cepillado de dientes en mi salón de clases o guardería dentro de un mes. Si no he implementado una rutina de cepillado diario, puedo solicitar apoyo o capacitación adicional.

Continuaré recibiendo (o comprando) suministros para el cepillado de dientes durante el año escolar/de programa.

Nombre de la escuela o guardería: \_\_\_\_\_

Nombre: \_\_\_\_\_ Firma: \_\_\_\_\_ Fecha: \_\_\_\_\_

Mejor número de contacto o correo electrónico: \_\_\_\_\_

Número de estudiantes bajo mi cuidado: \_\_\_\_\_ Grado/Edades de los niños: \_\_\_\_\_

Si tengo alguna pregunta, puedo ponerme en contacto con: \_\_\_\_\_



## ***Brush in a Box Checklist***

- I have read the *Toothbrushing Procedure* and the *Safety and Sanitation Guidelines*
- I have watched the video: [Growing Healthy Smiles in Early Care and Education Programs | ECLKC \(hhs.gov\)](https://www.hhs.gov/eclkc/edl/pubs/pdf/growing-healthy-smiles-in-early-care-and-education-programs.pdf)
- I have set a regular time in our daily routine for brushing
- I have a designated spot to store the toothbrush holder (out of children's reach)
- I have a place to store all other materials needed for brushing:
  - Fluoridated toothpaste
  - Cups
  - Napkins
  - Cleaning/sanitation wipes/gloves
- All toothbrushes are labeled with children's names
- I have a prep plan for putting toothpaste on individual cups (or another surface other than directly on to the brush) and for distributing materials to children for brushing
- I am prepared to model toothbrushing for my students and feel comfortable with the procedure. I may use a puppet if I prefer and do this demonstration at any time in the day
- I have a clear plan for children to dispose of their cups/napkins and for toothbrushes to be rinsed and put back into the holder
- I have an approved cleaning solution or wipes to sanitize tables



## Lista de Verificación del Programa Cepillo en una Caja

- He leído el *Procedimiento de Cepillado de Dientes* y las *Pautas de Seguridad e Higiene*.
- He visto el video: "[Growing Healthy Smiles in Early Care and Education Programs | ECLKC \(hhs.gov\)](https://www.hhs.gov/eclkc)".
- He establecido un horario regular para el cepillado de dientes en nuestra rutina.
- Tengo un lugar designado para guardar el portacepillos de dientes (fuera del alcance de los niños).
- Tengo un lugar para guardar todos los demás materiales necesarios para el cepillado:
  - Pasta dental con flúor
  - Vasos
  - Servilletas
  - Toallitas de limpieza/desinfección/guantes
- Todos los cepillos de dientes tienen los nombres de los niños.
- Tengo un plan de preparación para colocar la pasta dental en tazas individuales (o en otra superficie que no sea directamente en el cepillo) y para distribuir materiales a los niños para el cepillado.
- Estoy preparado/a para mostrar a mis estudiantes como cepillarse los dientes y me siento cómodo/a con el procedimiento. Puedo usar un títere si lo prefiero y la demostración en cualquier momento del día.
- Tengo un plan claro para que los niños desechen sus tazas/servilletas y para que enjuaguen los cepillos de dientes y los regresen en el portacepillos.
- Tengo un producto de limpieza aprobado o toallitas desinfectantes para las mesas.



## Brush in a Box Survey and Supply Order

Date: \_\_\_\_\_

Name of School or Childcare home: \_\_\_\_\_

Print name: \_\_\_\_\_ Sign: \_\_\_\_\_

Best Contact Phone or Email: \_\_\_\_\_

# Of students in my care \_\_\_\_\_ Grade/Ages of children \_\_\_\_\_

I have implemented a brushing routine around the table

- Yes
- No
- I need more help/support with classroom brushing

Please share successes and challenges that you have had with daily toothbrushing.

**Successes:**

---

---

**Challenges:**

---

---

**I am ready to receive/purchase more supplies**

- toothbrushes
- toothpaste
- paper cups
- napkins
- sanitary wipes
- gloves
- Other Supplies:

---

---

## ***Supporting Families with Toothbrushing at Home***



*Shutterstock*



*Shutterstock*

- ❖ Children under the age of 8 do not have the manual dexterity to effectively clean their own teeth
- ❖ It is recommended that additional brushings take place at home, and that the adult do the brushing for the child at least one time a day
- ❖ The Local Oral Health Program (LOHP) may be able to provide families with information on dental hygiene and dental supplies as needed.
- ❖ Use [Brush, Book, Bed, Cepillo, Libro, Cama](#) to help families implement a brushing routine at home
- ❖ [Best Toothbrushing Songs for Kids - American Dental Association \(mouthhealthy.org\)](#)
- ❖ [Fun Ways to Encourage Kids to Brush](#)



*Photo by MART PRODUCTION*



*Photo by Ketut Subiyanto*



*Photo by cottonbro*

## Supporting Oral Health Education in EECC Programs

- ❖ Promote good oral health by including oral health topics in the curriculum such as: eating healthy foods, brushing teeth with fluoride toothpaste, causes of tooth decay, visiting a dental office, and preventing oral injuries. Dental materials and curriculum/lessons should be integrated into classrooms and childcare homes and noted on lesson plans or homebased program contact sheets as (DH) Dental Health. Curriculum examples include:  
[Activities for Early Learning: Circle Time | Cavity Free Kids](#)  
[Mouth Healthy Lesson Plans for Tiny Teeth](#)  
[Smile Smarts ADA Curriculum](#)  
[Head Start Oral Health Curricula](#)
- ❖ Dental kits may be available for Classroom Teachers, Childcare Providers and Home Visitors. Check with your Local Oral Health Program (LOHP). Dental kits may include puppets, dramatic play dental props, books, toothbrushing charts, etc. to support children and families with good oral health practices and to ease anxiety about going to the dentist

Other resources the LOHP may be able to provide include:

- ❖ Educational brochures or handouts
- ❖ [Classroom tooth brushing charts](#)
- ❖ Dental puppets
- ❖ More dental curriculum ideas
- ❖ Dramatic play boxes and/or oral health books
- ❖ Training opportunities for teachers and staff
- ❖ Parent presentations/meetings
- ❖ Education lessons for EECC programs



*Shutterstock*

## **LOHP *Brush in a Box* Participant's Successes and Challenges**

- ❖ Not every student is able to brush their teeth at home, so doing at school has been very successful. -Special day class teacher
- ❖ Everyone is compliant and enjoys brushing their teeth -Teacher
- ❖ Students enjoy it and it is quick and easy. -4<sup>th</sup> grade teacher
- ❖ We put on a toothbrush song to brush our teeth for two minutes. -1<sup>st</sup> grade teacher
- ❖ Not everyone likes the toothpaste. -Teacher
- ❖ Students look forward to brushing their teeth. They are brushing for the full two minutes and brushing better. -Pre-K teacher
- ❖ Students still have trouble brushing even with modeling. -Teacher
- ❖ Children love this activity! -Home daycare provider
- ❖ I wrote a two-minute toothbrushing song and every day I play my guitar and sing while the children brush their teeth. They love it! -Kindergarten Teacher



*Shutterstock*

## LOHP Highlight

Humboldt County Local Oral Health Program coined the term *Brush in a Box* and took it a step further by bringing the program into elementary school classrooms, modifying the procedure to work for children in grades K-8th. All the instructions and supplies needed to start or improve a highly effective toothbrushing routine was provided in a box. Cost wise the LOHP determined that implementing such a program for one school year (180 days) for a classroom of 20 children would be approximately \$600. This is a good investment to help prevent the consequences of a child not receiving proper oral health care. Now that children have returned to in-person learning, brushing should become a part of the daily routine, and toothbrushing at the table is a best practice recommended by the Office of Head Start and the California Department of Public Health, Office of Oral Health.

### Cost Analysis

Classroom Brushing Supplies for 20 students for One School Year (180 days)						
<i>Vendor: School Health</i>						
Product	Total	Item	# Per	\$ Per	Quantity	Price
	Needed	#	Case	Case	to order	
Toothpaste (4.2 oz tubes)	15	1007324	12	\$28.59	2	\$57.18
Toothbrush holder	1	1002759	Holds 20 Toothbrushes	\$20.09	1	\$20.09
Toothbrush holder cover	1	47087		\$9.39	1	\$9.39
Child Toothbrushes	100	1005925	144	\$65.69	1	\$65.69
3 oz. Paper Cups	3,600	21209	100	\$6.49	36	\$233.64
Sani Wipes	1,800	49239	160/Canister, 12 Canisters/Case	\$147.39	1	\$147.39
Mult-fold paper towels	3,600	21423	4000	\$67.29	1	\$67.29
					(w/out ship)	\$600.67

One Student will need approximately 5 toothbrushes; 1 new toothbrush every 3 months, plus 2 extras in case one gets contaminated or brushes need to be replaced more often due to illness in the classroom. Each student will need 180 cups and 180 paper towels; one for each day. Approximately 1,800 sani wipes (estimating 1 wipe used per 2 desks) will be needed or about 12 canisters. Each classroom will need one toothbrush holder and holder cover.



Photo by [Reynardo Etenia Wongso](#) on [Unsplash](#)



Photo by [Amanda Sofia Pellenz](#) on [Unsplash](#)

## References

Explore health rankings: County health rankings model. County Health Rankings & Roadmaps. (n.d.). Retrieved November 30, 2022, from <https://www.countyhealthrankings.org/explore-health-rankings/county-health-rankings-model>

Kranz, A. M., & Rozier, R. G. (2010). Oral Health Content of early education and Child Care Regulations and Standards. *Journal of Public Health Dentistry*, 71(2), 81–90. <https://doi.org/10.1111/j.1752-7325.2010.00204.x>

Office of Head Start. (2021, November 15). *Oral Health*. Early Childhood Learning & Knowledge Center. Retrieved October 11, 2022, from <https://eclkc.ohs.acf.hhs.gov/oral-health>

*Oral Health in Child Care and early education*. Oral Health in Child Care and Early Education | National Resource Center. (n.d.). Retrieved October 11, 2022, from [https://nrckids.org/CFOC/Oral\\_Health](https://nrckids.org/CFOC/Oral_Health)



---

*The Brush in a Box Toolkit was created by Ciara Hunt, MS, Program Consultant Local Programs and Statewide Interventions Unit, Office of Oral Health, Center for Healthy Communities, Department of Public Health*


---

Inquiries regarding the content of this report may be directed to:

Office of Oral Health  
Center for Healthy Communities  
California Department of Public Health  
MS 7218, PO Box 997377  
Sacramento, CA 95899-7377  
[DentalDirector@cdph.ca.gov](mailto:DentalDirector@cdph.ca.gov)

Photo by [kazuend](#) on [Unsplash](#)

## Dental Decay Process



*Graphic courtesy of Humboldt County LOHP*